

STEP DOWN CLAMP-ON ADAPTERS **SDA-SERIES**



- Adapters repair, alter, decrease, or extend current shaft
- Shaft end fully machinable
- Compatible with all standard round shafts
- Design fully engages the shaft without marring
- Easily installed where major disassembly would otherwise be required
- High axial load and torque capacity

PART NUMBER	PRODUCT SPECIFICATIONS								
	BLACK OXIDE STEEL	BORE	SHAFT SIZE	OVERALL OD	OVERALL LENGTH	SHAFT LENGTH	BORE DEPTH	SCREW SIZE	APPROX WEIGHT (OZ)
SDA-075		3/4	1/2	1 3/4	3 1/2	1 1/4	1 5/8	1/4-28 x 5/8	20.80
SDA-087		7/8	5/8	1 7/8	3 5/8	1 1/4	1 7/8	1/4-28 x 5/8	24.48
SDA-100		1	3/4	2	3 5/8	1 1/4	2	1/4-28 x 5/8	27.20
SDA-112		1 1/8	7/8	2 1/8	3 7/8	1 1/2	2	1/4-28 x 3/4	31.20
SDA-125		1 1/4	1	2 1/4	4 1/2	2	2	1/4-28 x 3/4	38.72
SDA-137		1 3/8	1 1/8	2 3/8	5	2	2 1/4	1/4-28 x 3/4	51.68
SDA-150		1 1/2	1 1/4	2 1/2	5 3/8	2 3/8	2 1/4	1/4-28 x 3/4	59.20



For 3D Models & 2D Sales Drawings

DIMENSION BORE/SHAFT, IN	
BORE SIZE +0.003 / -0.000	BORE TOLERANCE +0.000 / -0.002

STEP UP CLAMP-ON ADAPTERS **SUA-SERIES**



- Adapters repair, alter, decrease, or extend current shaft
- Shaft end fully machinable
- Compatible with all standard round shafts
- Design fully engages the shaft without marring
- Easily installed where major disassembly would otherwise be required
- High axial load and torque capacity

PART NUMBER	PRODUCT SPECIFICATIONS								
	BLACK OXIDE STEEL	BORE	SHAFT SIZE	OVERALL OD	OVERALL LENGTH	SHAFT LENGTH	BORE DEPTH	SCREW SIZE	APPROX WEIGHT (OZ)
SUA-050		1/2	3/4	1 1/4	2 3/4	1 1/4	1 1/4	8-32 x 1/2	9.00
SUA-062		5/8	7/8	1 1/2	3 1/4	1 1/2	1 3/8	10-32 x 1/2	15.04
SUA-075		3/4	1	1 3/4	4 1/4	2	1 5/8	1/4-28 x 5/8	26.88
SUA-087		7/8	1 1/8	1 7/8	4 3/8	2	1 7/8	1/4-28 x 5/8	31.84
SUA-100		1	1 1/4	2	4 3/4	2 3/8	2	1/4-28 x 5/8	37.92
SUA-112		1 1/8	1 3/8	2 1/8	4 3/4	2 3/8	2	1/4-28 x 3/4	43.04
SUA-125		1 1/4	1 1/2	2 1/4	5	2 1/2	2	1/4-28 x 3/4	51.68



For 3D Models & 2D Sales Drawings

DIMENSION BORE/SHAFT, IN	
BORE SIZE +0.003 / -0.000	BORE TOLERANCE +0.000 / -0.002