

One-Piece Industry Standard Clamping Couplings - ISCC-Series



- High axial load and torque capacity
- Does not mar the shaft

Black Oxide Steel	Stainless Steel	Aluminum	Bore Size	2nd Bore Size	OD	Length	Clamp Screw	Box Qty	Approx. Weight (oz.)
ISCC-025-025	ISCC-025-025-S	ISCC-025-025-A	1/4	1/4	11/16	1 1/8	4-40 x 3/8	10	1.50
ISCC-037-025	ISCC-037-025-S		3/8	1/4	7/8	1 3/8	6-32 x 3/8	10	2.70
ISCC-037-037	ISCC-037-037-S	ISCC-037-037-A	3/8	3/8	7/8	1 3/8	6-32 x 3/8	5	2.60
ISCC-050-037	ISCC-050-037-S		1/2	3/8	1 1/8	1 3/4	8-32 x 1/2	5	6.00
ISCC-050-050	ISCC-050-050-S	ISCC-050-050-A	1/2	1/2	1 1/8	1 3/4	8-32 x 1/2	5	5.70
ISCC-062-050	ISCC-062-050-S		5/8	1/2	1 5/16	2	10-32 x 1/2	5	9.00
ISCC-062-062	ISCC-062-062-S		5/8	5/8	1 5/16	2	10-32 x 1/2	5	8.50
ISCC-075-050	ISCC-075-050-S		3/4	1/2	1 1/2	2 1/4	1/4-28 x 5/8	5	12.20
ISCC-075-062	ISCC-075-062-S		3/4	5/8	1 1/2	2 1/4	1/4-28 x 5/8	5	12.20
ISCC-075-075	ISCC-075-075-S		3/4	3/4	1 1/2	2 1/4	1/4-28 x 5/8	5	12.20
ISCC-087-062	ISCC-087-062-S		7/8	5/8	1 5/8	2 1/2	1/4-28 x 5/8	5	15.40
ISCC-087-087	ISCC-087-087-S		7/8	7/8	1 5/8	2 1/2	1/4-28 x 5/8	5	15.40
ISCC-100-050	ISCC-100-050-S		1	1/2	1 3/4	3	1/4-28 x 5/8	2	23.60
ISCC-100-075	ISCC-100-075-S		1	3/4	1 3/4	3	1/4-28 x 5/8	2	20.00
ISCC-100-100	ISCC-100-100-S		1	1	1 3/4	3	1/4-28 x 5/8	2	20.00
ISCC-112-100	ISCC-112-100-S		1 1/8	1	1 7/8	3 1/8	1/4-28 x 5/8	2	22.00
ISCC-112-112	ISCC-112-112-S		1 1/8	1 1/8	1 7/8	3 1/8	1/4-28 x 5/8	2	22.00
ISCC-125-100	ISCC-125-100-S		1 1/4	1	2 1/16	3 1/4	1/4-28 x 3/4	2	28.40
ISCC-125-125	ISCC-125-125-S		1 1/4	1 1/4	2 1/16	3 1/4	1/4-28 x 3/4	2	28.40
ISCC-137-100	ISCC-137-100-S		1 3/8	1	2 1/4	3 1/2	1/4-28 x 3/4	2	37.00
ISCC-137-137	ISCC-137-137-S		1 3/8	1 3/8	2 1/4	3 1/2	1/4-28 x 3/4	2	37.00
ISCC-150-100	ISCC-150-100-S		1 1/2	1	2 5/8	3 7/8	5/16-24 x 1	1	49.50
ISCC-150-150	ISCC-150-150-S		1 1/2	1 1/2	2 5/8	3 7/8	5/16-24 x 1	1	49.50
ISCC-175-175	ISCC-175-175-S		1 3/4	1 3/4	3 1/8	4 1/2	3/8-24 x 1	1	102.30
ISCC-200-200	ISCC-200-200-S		2	2	3 3/8	4 7/8	3/8-24 x 1	1	107.00



Black Oxide Steel With Keyway	Stainless Steel With Keyway	Bore Size	2nd Bore Size	OD	Length	Clamp Screw	Box Qty	Approx. Weight (oz.)
ISCC-037-037-KW	ISCC-037-037SKW	3/8	3/8	7/8	1 3/8	6-32 x 3/8	5	2.60
ISCC-050-050-KW	ISCC-050-050SKW	1/2	1/2	1 1/8	1 3/4	8-32 x 1/2	5	5.70
ISCC-062-062-KW	ISCC-062-062SKW	5/8	5/8	1 5/16	2	10-32 x 1/2	5	8.50
ISCC-075-075-KW	ISCC-075-075SKW	3/4	3/4	1 1/2	2 1/4	1/4-28 x 5/8	5	12.20
ISCC-087-087-KW	ISCC-087-087SKW	7/8	7/8	1 5/8	2 1/2	1/4-28 x 5/8	5	15.40
ISCC-100-100-KW	ISCC-100-100SKW	1	1	1 3/4	3	1/4-28 x 5/8	2	20.00
ISCC-112-112-KW	ISCC-112-112SKW	1 1/8	1 1/8	1 7/8	3 1/8	1/4-28 x 5/8	2	22.00
ISCC-125-125-KW	ISCC-125-125SKW	1 1/4	1 1/4	2 1/16	3 1/4	1/4-28 x 5/8	2	28.40
ISCC-137-137-KW	ISCC-137-137SKW	1 3/8	1 3/8	2 1/4	3 1/2	1/4-28 x 3/4	2	37.00
ISCC-150-150-KW	ISCC-150-150SKW	1 1/2	1 1/2	2 5/8	3 7/8	5/16-24 x 1	1	49.50
ISCC-175-175-KW	ISCC-175-175SKW	1 3/4	1 3/4	3 1/8	4 1/2	3/8-24 x 1	1	102.30
ISCC-200-200-KW	ISCC-200-200SKW	2	2	3 3/8	4 7/8	3/8-24 x 1	1	107.00

DIMENSION
Bore, Inch

TOLERANCE
+.003/-.000

Metric One-Piece Industry Standard Clamping Couplings - MISCC-Series

Black Oxide Steel	Stainless Steel	Bore Size	2nd Bore Size	OD	Length	Clamp Screw	Box Qty	Approx. Weight (oz.)
MISCC-06-06	MISCC-06-06-S	6	6	18	30	M 3 x 8	10	1.60
MISCC-08-08	MISCC-08-08-S	8	8	24	35	M 3 x 10	10	2.80
MISCC-09-09	MISCC-09-09-S	9	9	24	35	M 3 x 10	10	2.40
MISCC-10-10	MISCC-10-10-S	10	10	29	45	M 4 x 12	5	6.93
MISCC-12-12	MISCC-12-12-S	12	12	29	45	M 4 x 12	5	6.50
MISCC-14-14	MISCC-14-14-S	14	14	34	50	M 5 x 16	5	8.80
MISCC-15-15	MISCC-15-15-S	15	15	34	50	M 5 x 16	5	8.60
MISCC-16-16	MISCC-16-16-S	16	16	34	50	M 5 x 16	5	8.40
MISCC-20-20	MISCC-20-20-S	20	20	42	65	M 6 x 16	5	18.00
MISCC-25-25	MISCC-25-25-S	25	25	45	75	M 6 x 16	2	22.39
MISCC-30-30	MISCC-30-30-S	30	30	53	83	M 6 x 16	2	36.14
MISCC-35-35	MISCC-35-35-S	35	35	67	95	M 8 x 25	1	39.00
MISCC-40-40	MISCC-40-40-S	40	40	77	108	M 8 x 25	1	90.00
MISCC-50-50	MISCC-50-50-S	50	50	85	124	M 10 x 25	1	108.00



- High axial load and torque capacity
- Does not mar the shaft

Black Oxide Steel With Keyway	Stainless Steel With Keyway	Bore Size	2nd Bore Size	OD	Length	Clamp Screw	Box Qty	Approx. Weight (oz.)
MISCC-08-08-KW	MISCC-08-08-SKW	8	8	24	35	M 3 x 10	10	2.80
MISCC-09-09-KW	MISCC-09-09-SKW	9	9	24	35	M 3 x 10	10	2.40
MISCC-10-10-KW	MISCC-10-10-SKW	10	10	29	45	M 4 x 12	5	6.93
MISCC-12-12-KW	MISCC-12-12-SKW	12	12	29	45	M 4 x 12	5	6.50
MISCC-14-14-KW	MISCC-14-14-SKW	14	14	34	50	M 5 x 16	5	8.80
MISCC-15-15-KW	MISCC-15-15-SKW	15	15	34	50	M 5 x 16	5	8.60
MISCC-16-16-KW	MISCC-16-16-SKW	16	16	34	50	M 5 x 16	5	8.40
MISCC-20-20-KW	MISCC-20-20-SKW	20	20	42	65	M 6 x 16	5	18.00
MISCC-25-25-KW	MISCC-25-25-SKW	25	25	45	75	M 6 x 16	2	22.39
MISCC-30-30-KW	MISCC-30-30-SKW	30	30	53	83	M 6 x 16	2	36.14
MISCC-35-35-KW	MISCC-35-35-SKW	35	35	67	95	M 8 x 25	1	39.00
MISCC-40-40-KW	MISCC-40-40-SKW	40	40	77	108	M 8 x 25	1	90.00
MISCC-50-50-KW	MISCC-50-50-SKW	50	50	85	124	M 10 x 25	1	108.00



DIMENSION
Bore, mm

TOLERANCE
+.08/- .00mm

One-Piece Clamping Couplings-Recessed Screws - **CC-Series**



- Recessed screw head provides an outside surface free of major projections for safety
- Does not mar the shaft

DIMENSION Bore, Inch
TOLERANCE +.003/-.000

Black Oxide Steel	Black Oxide Steel With Keyway	Bore Size	2nd Bore Size	OD	Length	Clamp Screw	Box Qty	Approx. Weight (oz.)
CC-025-025		1/4	1/4	13/16	1 1/4	4-40 x 3/8	5	2.26
CC-037-025		3/8	1/4	1 1/16	1 5/8	6-32 x 1/2	5	5.13
CC-037-037	CC-037-037-KW	3/8	3/8	1 1/16	1 5/8	6-32 x 3/8	5	4.96
CC-050-037		1/2	3/8	1 1/4	1 7/8	8-32 x 1/2	5	8.11
CC-050-050	CC-050-050-KW	1/2	1/2	1 1/4	1 7/8	8-32 x 1/2	5	7.70
CC-062-050		5/8	1/2	1 1/2	2 1/4	10-32 x 1/2	5	13.30
CC-062-062	CC-062-062-KW	5/8	5/8	1 1/2	2 1/4	10-32 x 1/2	5	13.30
CC-075-050		3/4	1/2	1 3/4	2 5/8	1/4-28 x 5/8	5	22.00
CC-075-062		3/4	5/8	1 3/4	2 5/8	1/4-28 x 5/8	5	22.00
CC-075-075	CC-075-075-KW	3/4	3/4	1 3/4	2 5/8	1/4-28 x 5/8	5	20.90
CC-087-062		7/8	5/8	1 7/8	2 7/8	1/4-28 x 5/8	2	27.40
CC-087-087	CC-087-087-KW	7/8	7/8	1 7/8	2 7/8	1/4-28 x 5/8	2	25.40
CC-100-050		1	1/2	2	3	1/4-28 x 5/8	2	32.80
CC-100-075		1	3/4	2	3	1/4-28 x 5/8	2	31.40
CC-100-100	CC-100-100-KW	1	1	2	3	1/4-28 x 5/8	2	29.00
CC-112-100		1 1/8	1	2 1/8	3 1/4	1/4-28 x 3/4	2	35.90
CC-112-112	CC-112-112-KW	1 1/8	1 1/8	2 1/8	3 1/4	1/4-28 x 3/4	2	34.70
CC-125-100		1 1/4	1	2 1/8	3 3/8	1/4-28 x 3/4	2	41.80
CC-125-125	CC-125-125-KW	1 1/4	1 1/4	2 1/4	3 3/8	1/4-28 x 3/4	2	38.40
CC-137-100		1 3/8	1	2 3/8	3 5/8	1/4-28 x 3/4	2	50.00
CC-137-137	CC-137-137-KW	1 3/8	1 3/8	2 3/8	3 5/8	1/4-28 x 3/4	2	44.70
CC-150-100		1 1/2	1	2 1/2	3 3/4	1/4-28 x 3/4	1	57.40
CC-150-150	CC-150-150-KW	1 1/2	1 1/2	2 1/2	3 3/4	1/4-28 x 3/4	1	49.50
CC-175-175	CC-175-175-KW	1 3/4	1 3/4	3	4 1/2	5/16-24 x 1	1	90.00
CC-200-200	CC-200-200-KW	2	2	3 1/4	4 7/8	5/16-24 x 1	1	107.00
CC-225-225	CC-225-225-KW	2 1/4	2 1/4	3 1/2	5	5/16-24 x 1	1	130.00

Two-Piece Clamping Couplings-Recessed Screws - **2CC-Series**



- Recessed screw head provides an outside surface free of major projections for safety
- Easily installed where major disassembly would otherwise be required
- Does not mar the shaft

Black Oxide Steel	Black Oxide Steel With Keyway	Bore Size	2nd Bore Size	OD	Length	Clamp Screw	Box Qty	Approx. Weight (oz.)
2CC-025-025		1/4	1/4	13/16	1 1/4	4-40 x 3/8	5	2.26
2CC-037-025		3/8	1/4	1 1/16	1 5/8	6-32 x 1/2	5	5.13
2CC-037-037	2CC-037-037-KW	3/8	3/8	1 1/16	1 5/8	6-32 x 3/8	5	4.96
2CC-050-037	2CC-050-037-KW	1/2	3/8	1 1/4	1 7/8	8-32 x 1/2	5	8.11
2CC-050-050	2CC-050-050-KW	1/2	1/2	1 1/4	1 7/8	8-32 x 1/2	5	7.90
2CC-062-050	2CC-062-050-KW	5/8	1/2	1 1/2	2 1/4	10-32 x 1/2	5	13.60
2CC-062-062	2CC-062-062-KW	5/8	5/8	1 1/2	2 1/4	10-32 x 1/2	5	22.50
2CC-075-050	2CC-075-050-KW	3/4	1/2	1 3/4	2 5/8	1/4-28 x 5/8	5	22.00
2CC-075-062	2CC-075-062-KW	3/4	5/8	1 3/4	2 5/8	1/4-28 x 5/8	5	22.00
2CC-075-075	2CC-075-075-KW	3/4	3/4	1 3/4	2 5/8	1/4-28 x 5/8	5	22.00
2CC-087-062	2CC-087-062KW	7/8	5/8	1 7/8	2 7/8	1/4-28 x 5/8	2	27.40
2CC-087-087	2CC-087-087-KW	7/8	7/8	1 7/8	2 7/8	1/4-28 x 5/8	2	26.00
2CC-100-050	2CC-100-050-KW	1	1/2	2	3	1/4-28 x 5/8	2	27.40
2CC-100-075	2CC-100-075-KW	1	3/4	2	3	1/4-28 x 5/8	2	29.10
2CC-100-100	2CC-100-100-KW	1	1	2	3	1/4-28 x 5/8	2	29.10
2CC-112-100	2CC-112-100-KW	1 1/8	1	2 1/8	3 1/4	1/4-28 x 3/4	2	35.90
2CC-112-112	2CC-112-112-KW	1 1/8	1 1/8	2 1/8	3 1/4	1/4-28 x 3/4	2	34.20
2CC-125-100	2CC-125-100-KW	1 1/4	1	2 1/4	3 3/8	1/4-28 x 3/4	2	42.40
2CC-125-125	2CC-125-125-KW	1 1/4	1 1/4	2 1/4	3 3/8	1/4-28 x 3/4	2	42.40
2CC-137-100	2CC-137-100-KW	1 3/8	1	2 3/8	3 5/8	1/4-28 x 3/4	2	45.20
2CC-137-137	2CC-137-137-KW	1 3/8	1 3/8	2 3/8	3 5/8	1/4-28 x 3/4	2	45.20
2CC-150-100	2CC-150-100-KW	1 1/2	1	2 1/2	3 3/4	1/4-28 x 3/4	1	57.40
2CC-150-150	2CC-150-150-KW	1 1/2	1 1/2	2 1/2	3 3/4	1/4-28 x 3/4	1	49.50
2CC-175-175	2CC-175-175-KW	1 3/4	1 3/4	3	4 1/2	5/16-24 x 1	1	90.00
2CC-200-200	2CC-200-200-KW	2	2	3 1/4	4 7/8	5/16-24 x 1	1	110.00
2CC-225-225	2CC-225-225-KW	2 1/4	2 1/4	3 1/2	5	5/16-24 x 1	1	130.00