



CLESCO

"The Abrasive Hardware Specialist"

Sanding Sleeve 36-Grit

For sizes 1" x 1" and smaller sold in bulk quantities of 100

For sizes larger than 1" x 1" sold in bulk quantities of 50

Spindle Drum Sanding Sleeves are sold per piece

- For Solid Rubber Drums
- Spiral coated-abrasive bands with resin-bond aluminum oxide and hard cloth back
- For sanding & polishing curves, corners, flat and irregular surfaces of all types of material



Spiral Coated Abrasive Sanding Sleeves Coarse 36-Grit

Dia.	Sanding Sleeves for Sanding Drum Width					
	1/2"	3/4"	1"	1-1/2"	2"	3"
1/4"						
3/8"			SS-006016-036A			
1/2"	SS-008008-036A	SS-008012-036A	SS-008016-036A		SS-008032-036A	
5/8"						
3/4"		SS-012012-036A	SS-012016-036A	SS-012024-036A	SS-012032-036A	
1"			SS-016016-036A	SS-016024-036A	SS-016032-036A	SS-016048-036A
1-1/2"			SS-024016-036A	SS-024024-036A	SS-024032-036A	SS-024048-036A
2"			SS-032016-036A	SS-032024-036A	SS-032032-036A	SS-032048-036A
2-1/4"						
3"			SS-048016-036A		SS-048032-036A	SS-048048-036A

* Additional Grits & Sizes available - priced on request. Minimum quantity applies to non-cataloged items.

* Sanding Sleeves have a limited shelf life and should be used within 6 months of purchase.

Dia.	Sanding Sleeves for Spindle Drum Width	
	4-1/2"	9"
1/4"		
3/8"		
1/2"		SS-008144-036A
5/8"		
3/4"		
1"	SS-016072-036A	SS-016144-036A
1-1/2"		SS-024144-036A
2"	SS-032072-036A	SS-032144-036A
2-1/4"		
3"		SS-048144-036A

www.climaxmetal.com

Phone: 1-800-542-6552 Fax: 1-800-860-5553



CLESCO

"The Abrasive Hardware Specialist"

Sanding Sleeve 50-Grit

For sizes 1" x 1" and smaller sold in bulk quantities of 100

For sizes larger than 1" x 1" sold in bulk quantities of 50

Spindle Drum Sanding Sleeves are sold per piece

- For Solid Rubber Drums
- Spiral coated-abrasive bands with resin-bond aluminum oxide and hard cloth back
- For sanding & polishing curves, corners, flat and irregular surfaces of all types of material



Spiral Coated Abrasive Sanding Sleeves Coarse 50-Grit

Dia.	Sanding Sleeves for Sanding Drum Width					
	1/2"	3/4"	1"	1-1/2"	2"	3"
1/4"	SS-004008-050A		SS-004016-050A			SS-004048-050A
3/8"	SS-006008-050A		SS-006016-050A			
1/2"	SS-008008-050A	SS-008012-050A	SS-008016-050A	SS-008024-050A	SS-008032-050A	SS-008048-050A
5/8"		SS-010012-050A				SS-010048-050A
3/4"	SS-012008-050A	SS-012012-050A	SS-012016-050A	SS-012024-050A	SS-012032-050A	SS-012048-050A
1"	SS-016008-050A	SS-016012-050A	SS-016016-050A	SS-016024-050A	SS-016032-050A	SS-016048-050A
1-1/2"			SS-024016-050A	SS-024024-050A	SS-024032-050A	SS-024048-050A
2"				SS-032024-050A	SS-032032-050A	SS-032048-050A
2-1/4"						SS-036048-050A
3"			SS-048016-050A			SS-048048-050A

* Additional Grits & Sizes available - priced on request. Minimum quantity applies to non-cataloged items.

* Sanding Sleeves have a limited shelf life and should be used within 6 months of purchase.

Dia.	Sanding Sleeves for Spindle Drum Width			
	4-1/2"	5-1/2"	6"	9"
1/4"		SS-004088-050A	SS-004096-050A	SS-004144-050A
3/8"		SS-006088-050A	SS-006096-050A	
1/2"	SS-008072-050A	SS-008088-050A	SS-008096-050A	SS-008144-050A
5/8"		SS-010088-050A	SS-010096-050A	
3/4"	SS-012072-050A	SS-012088-050A	SS-012096-050A	SS-012144-050A
1"	SS-016072-050A	SS-016088-050A		SS-016144-050A
1-1/2"	SS-024072-050A	SS-024088-050A		SS-024144-050A
2"	SS-032072-050A	SS-032088-050A	SS-032096-050A	SS-032144-050A
2-1/4"	SS-036072-050A			
3"	SS-048072-050A	SS-048088-050A		SS-048144-050A

www.climaxmetal.com

Phone: 1-800-542-6552 Fax: 1-800-860-5553



CLESCO

"The Abrasive Hardware Specialist"

Sanding Sleeve 80-Grit

For sizes 1" x 1" and smaller sold in bulk quantities of 100

For sizes larger than 1" x 1" sold in bulk quantities of 50

Spindle Drum Sanding Sleeves are sold per piece

- For Solid Rubber Drums
- Spiral coated-abrasive bands with resin-bond aluminum oxide and hard cloth back
- For sanding & polishing curves, corners, flat and irregular surfaces of all types of material



Spiral Coated Abrasive Sanding Sleeves Medium 80-Grit

Dia.	Sanding Sleeves for Sanding Drum Width					
	1/2"	3/4"	1"	1-1/2"	2"	3"
1/4"	SS-004008-080A		SS-004016-080A			SS-004048-080A
3/8"	SS-006008-080A		SS-006016-080A			SS-006048-080A
1/2"	SS-008008-080A	SS-008012-080A	SS-008016-080A		SS-008032-080A	SS-008048-080A
5/8"					SS-010032-080A	SS-010048-080A
3/4"	SS-012008-080A	SS-012012-080A	SS-012016-080A	SS-012024-080A	SS-012032-080A	SS-012048-080A
1"			SS-016016-080A	SS-016024-080A	SS-016032-080A	SS-016048-080A
1-1/2"			SS-024016-080A	SS-024024-080A	SS-024032-080A	SS-024048-080A
2"			SS-032016-080A	SS-032024-080A	SS-032032-080A	SS-032048-080A
2-1/4"						SS-036048-080A
3"						SS-048048-080A

* Additional Grits & Sizes available - priced on request. Minimum quantity applies to non-cataloged items.

* Sanding Sleeves have a limited shelf life and should be used within 6 months of purchase.

Dia.	Sanding Sleeves for Spindle Drum Width			
	4-1/2"	5-1/2"	6"	9"
1/4"		SS-004088-080A	SS-004096-080A	
3/8"		SS-006088-080A	SS-006096-080A	SS-006144-080A
1/2"	SS-008072-080A	SS-008088-080A	SS-008096-080A	SS-008144-080A
5/8"	SS-010072-080A	SS-010088-080A	SS-010096-080A	
3/4"	SS-012072-080A	SS-012088-080A		SS-012144-080A
1"	SS-016072-080A	SS-016088-080A		SS-016144-080A
1-1/2"	SS-024072-080A	SS-024088-080A		SS-024144-080A
2"	SS-032072-080A	SS-032088-080A		SS-032144-080A
2-1/4"				
3"	SS-048072-080A	SS-048088-080A		SS-048144-080A

www.climaxmetal.com

Phone: 1-800-542-6552 Fax: 1-800-860-5553



CLESCO

"The Abrasive Hardware Specialist"

Sanding Sleeve 120-Grit

For sizes 1" x 1" and smaller sold in bulk quantities of 100

For sizes larger than 1" x 1" sold in bulk quantities of 50

Spindle Drum Sanding Sleeves are sold per piece

- For Solid Rubber Drums
- Spiral coated-abrasive bands with resin-bond aluminum oxide and hard cloth back
- For sanding & polishing curves, corners, flat and irregular surfaces of all types of material



Spiral Coated Abrasive Sanding Sleeves Fine 120-Grit

Dia.	Sanding Sleeves for Sanding Drum Width					
	1/2"	3/4"	1"	1-1/2"	2"	3"
1/4"	SS-004008-120A		SS-004016-120A	SS-004024-120A		SS-004048-120A
3/8"	SS-006008-120A		SS-006016-120A	SS-006024-120A	SS-006032-120A	
1/2"	SS-008008-120A	SS-008012-120A	SS-008016-120A	SS-008024-120A	SS-008032-120A	SS-008048-120A
5/8"		SS-010012-120A			SS-010032-120A	
3/4"	SS-012008-120A	SS-012012-120A	SS-012016-120A	SS-012024-120A	SS-012032-120A	SS-012048-120A
1"			SS-016016-120A	SS-016024-120A	SS-016032-120A	SS-016048-120A
1-1/2"			SS-024016-120A	SS-024024-120A	SS-024032-120A	SS-024048-120A
2"			SS-032016-120A	SS-032024-120A	SS-032032-120A	SS-032048-120A
2-1/4"						SS-036048-120A
3"			SS-048016-120A		SS-048032-120A	SS-048048-120A

* Additional Grits & Sizes available - priced on request. Minimum quantity applies to non-cataloged items.

* Sanding Sleeves have a limited shelf life and should be used within 6 months of purchase.

Dia.	Sanding Sleeves for Spindle Drum Width			
	4-1/2"	5-1/2"	6"	9"
1/4"		SS-004088-120A	SS-004096-120A	
3/8"		SS-006088-120A	SS-006096-120A	SS-006144-120A
1/2"	SS-008072-120A	SS-008088-120A	SS-008096-120A	
5/8"		SS-010088-120A	SS-010096-120A	
3/4"	SS-012072-120A	SS-012088-120A	SS-012096-120A	SS-012144-120A
1"	SS-016072-120A	SS-016088-120A	SS-016096-120A	
1-1/2"	SS-024072-120A	SS-024088-120A	SS-024096-120A	SS-024144-120A
2"	SS-032072-120A	SS-032088-120A	SS-032096-120A	SS-032144-120A
2-1/4"				
3"	SS-048072-120A	SS-048088-120A		SS-048144-120A

www.climaxmetal.com

Phone: 1-800-542-6552 Fax: 1-800-860-5553



CLESCO

"The Abrasive Hardware Specialist"

Sanding Sleeve Assortment Packs - Standard Type

- Poly-bagged assortments of popular sizes/grits as indicated
- Other combinations quoted on request



(A) Drum Dia.	(B) Drum Width	Coarse 50 Grit 6 pack	Medium 80 Grit 6 pack	Fine 120 Grit 6 pack	Assorted 3 ea Grit 9 pack
1/4	1/2	SS-004008-050A6	SS-004008-080A6	SS-004008-120A6	SS-004008-9PK
3/8	1/2	SS-006008-050A6	SS-006008-080A6	SS-006008-120A6	SS-006008-9PK
1/2	1/2	SS-008008-050A6	SS-008008-080A6	SS-008008-120A6	SS-008008-9PK
1/2	3/4	SS-008012-050A6	SS-008012-080A6	SS-008012-120A6	SS-008012-9PK
1/2	2	SS-008032-050A6	SS-008032-080A6	SS-008032-120A6	SS-008032-9PK
1/2	3	SS-008048-050A6	SS-008048-080A6	SS-008048-120A6	SS-008048-9PK
3/4	1/2	SS-012008-050A6	SS-012008-080A6	SS-012008-120A6	SS-012008-9PK
3/4	3/4	SS-012012-050A6	SS-012012-080A6	SS-012012-120A6	SS-012012-9PK
3/4	1	SS-012016-050A6	SS-012016-080A6	SS-012016-120A6	SS-012016-9PK
3/4	2	SS-012032-050A6	SS-012032-080A6	SS-012032-120A6	SS-012032-9PK
1	1	SS-016016-050A6	SS-016016-080A6	SS-016016-120A6	SS-016016-9PK
1	2	SS-016032-050A6	SS-016032-080A6	SS-016032-120A6	SS-016032-9PK
1	3	SS-016048-050A6	SS-016048-080A6	SS-016048-120A6	SS-016048-9PK
1 1/2	1 1/2	SS-024024-050A6	SS-024024-080A6	SS-024024-120A6	SS-024024-9PK
1 1/2	2	SS-024032-050A6	SS-024032-080A6	SS-024032-120A6	SS-024032-9PK
1 1/2	3	SS-024048-050A6	SS-024048-080A6	SS-024048-120A6	SS-024048-9PK
2	1 1/2	SS-032024-050A6	SS-032024-080A6	SS-032024-120A6	SS-032024-9PK
2	2	SS-032032-050A6	SS-032032-080A6	SS-032032-120A6	SS-032032-9PK
2	3	SS-032048-050A6	SS-032048-080A6	SS-032048-120A6	SS-032048-9PK
3	3	SS-048048-050A6	SS-048048-080A6	SS-048048-120A6	SS-048048-9PK

* Sanding Sleeves have a limited shelf life and should be used within 6 months of purchase.

www.climaxmetal.com

Phone: 1-800-542-6552 Fax: 1-800-860-5553